

Imperméabilité par bille.

Etanchéité par joint perbunan NBR (-20° à 100°C)

TYPE D' ETANCHEITE

JOINT O-RING

METAL/METAL

JOINT ENCASTRE

CONIQUE

JOINT O-RING UNF



OR



MM



JE



CO



JO


VUE

IMPLANTATION A

L

ETANCHEITE

REFERENCE



M 10x100

37

OR

PP15-M10X10

G 1/8" cyl.

37

JE

PP15-MG1/8

G 1/4" cyl.

38

JE

PP15-MG1/4

G 1/4" con.

35

CO

PP15-MGCO1/4

7/16-20 UNF

38

JO

PP15-M7/16

1/4" NPT

35

CO


PP15-MNPT1/4

VUE

DESIGNATION

L

REFERENCE



M16x200 - M16X200

48

PP20-20

M16x200 - M16X150

48

PP20-15

M16x150 - M16X150

48

PP15-15

VUE

A

L

ETANCHEITE

REFERENCE

FG 1/4

48


JE

PP15CL-FG1/4



199 rue de la Bougrière
ZAC de la Madeleine
44980 SAINTE LUCE SUR LOIRE
Tél. : 02 40 25 97 17

PRISES DE PRESSION M16X150



FG 1/2

52

JE


PP15CL-FG1/2

VUE

A

ETANCHEITE

REFERENCE



F 16x200

FG 1/4

OR




PP15F-FG1/4

F 16x200

FG 1/2

OR

PP15F-FG1/2



Série	PN	D	Implant.	PP15-DKO	PP15-EL	PP15-UD
L	315	06	M 12x150	PP15-DKO-06L	PP15-EL-06L	PP15-UD-06L
L	315	08	M 14x150	PP15-DKO-08L	PP15-EL-08L	PP15-UD-08L
L	315	10	M 16x150	PP15-DKO-10L	PP15-EL-10L	PP15-UD-10L
L	315	12	M 18x150	PP15-DKO-12L	PP15-EL-12L	PP15-UD-12L
L	315	15	M 22x150	PP15-DKO-15L	PP15-EL-15L	PP15-UD-15L
L	315	18	M 26x150	PP15-DKO-18L	PP15-EL-18L	PP15-UD-18L
L	160	22	M 30x200	PP15-DKO-22L	PP15-EL-22L	PP15-UD-22L
L	160	28	M 36x200	PP15-DKO-28L	PP15-EL-28L	PP15-UD-28L
L	160	35	M 42x200	PP15-DKO-35L	PP15-EL-35L	PP15-UD-35L
L	160	42	M 52x200	PP15-DKO-42L	PP15-EL-42L	PP15-UD-42L
S	630	06	M 14x150	PP15-DKO-06S	PP15-EL-06S	PP15-UD-06S
S	630	08	M 16x150	PP15-DKO-08S	PP15-EL-08S	PP15-UD-08S
S	630	10	M 18x150	PP15-DKO-10S	PP15-EL-10S	PP15-UD-10S
S	630	12	M 20x150	PP15-DKO-12S	PP15-EL-12S	PP15-UD-12S



199 rue de la Bougrière
ZAC de la Madeleine
44980 SAINTE LUCE SUR LOIRE
Tél. : 02 40 25 97 17

PRISES DE PRESSION M16X150

S	630	14	M 22x150	PP15-DKO-14S	PP15-EL-14S	PP15-UD-14S
S	400	16	M 24x150	PP15-DKO-16S	PP15-EL-16S	PP15-UD-16S
S	400	20	M 30x200	PP15-DKO-20S	PP15-EL-20S	PP15-UD-20S
S	400	25	M 36x200	PP15-DKO-25S	PP15-EL-25S	PP15-UD-25S
S	400	30	M 42x200	PP15-DKO-30S	PP15-EL-30S	PP15-UD-30S
S	315	38	M 52x200	PP15-DKO-38S	PP15-EL-38S	PP15-UD-38S

Avec Joint VITON FPM (-20° à 200°C) : Référence= PV15....

Corps en inox 316TI : Référence= PPX15....